

Scan for more

Australian Sales and Support.

Contact Benchmark Monitoring for more information: Email: salesøbenchmarkmonitoring.com.au Website: http://www.benchmarkmonitoring.com.au/

Mobile: +(614) 01666077 Office: +(612) 65721028 Address: U5 / 17 Enterprise Crescent, McDougalls Hill NSW 2330 Australia









naneos particle solutions gmbh info@naneos.ch www.naneos.ch

Measuring nanoparticles made easy

Partector 2

The world's smallest multi-metric nanoparticle detector

Good reasons to choose a Partector 2



Detectultrafine particles

Many particle detectors work with optical detection and cannot detect particles smaller than about 300 nm. Our devices can measure down to a size of ~10 nm.



Multiple metrics Ultrafineparticles have a very low mass. That's why naneos sensors output healthrelevant metrics, such as lung-deposited surface area (LDSA), particle count and particle diameter.



Easy to useOur instruments are veryass.easy to use and verysmall, lightweight andalth-practical.

Further features The Partector 2 provides a wide concen- tration range, is batterypowered, requires no workingfluidsandworks in any orientation.

The Partector 2 – designed for ...

Personal exposure monitoring

The partector measures all nano particles – so you can use it to measure exposure to engineered nanoparticles, environmental tobacco smoke, weldingfumes,traffic-relatednanoparticles or anything else. The partector is ideally suited for occupational health and safety studies.

Workplace monitoring

The partector can be used to monitor nanoparticle levels in a laboratory or nanoparticle production facility 24/7. It can sound an alarm and, with its data log, you can quickly check when high concentrations occurred.

Environmental monitoring

Small, light and cheap – the par tector is the ideal instrument for studies where nanoparticle concentrations need to be measured with high spatial resolution. By using multiple instruments simultaneously, you can measure transport phenomena and particle concentration distributions. By combining partector data with GPS data, you can easily visualize your measurement in Google Earth.

More applications and full specificationsonourwebsite: www.naneos.ch



Product line and upgrade path





Partector 2 Light

Entry-level, comparatively cheap nanoparticle detector for measuring LDSA only.

Detectthepresenceofultrafinenanoparticlesorcheckthatairfilters and protection systems in your (work) environment are working correctly. Multi-metric nanoparticle detector. Measure particle number, LDSA, surface area, particle mass or mean particle size with high time resolution to make a detailed analysis of an aerosol of interest.

Partector 2



Partector 2 Pro

With an additional eight-channel size distributionofyourultrafineaerosol concentration.

Upgradepath: products can be upgraded to a higher version at a later date.

Accessories and options

Partector 2 OEM

Designed for integration into proprietary systems or measurement stations. Comes without an internal pumpbutwithadefined aerosoloutletandacriticalorifice. Provides wake-up on power and serial interface for data streaming.



Silent pump We can provide a silent pump for noise-critical applications (pump sound in 20 kHz range).



Measurement data cloud Our devices can stream data to a measurement data cloud to enable easy real-time data analysis and remote sensing.



Mobileapp Read your measurement data while the device is not immediately accessible (e.g. in a backpack), and stream data to the measurement data cloud.